

Prepared for:

CURED NUTRITION

 12860 W CEDAR DRIVE, #200B
 LAKEWOOD, CO USA 80228

Spicy Mango

Batch ID or Lot Number: BC13822-A	Test: Microbial Contaminants	Reported: 06Jun2022	USDA License: NA
Matrix: Finished Product	Test ID: T000208747	Started: 01Jun2022	Sampler ID: NA
	Method(s): TM25 (PCR) TM24, TM26, TM27 (Culture Plating)	Received: 31May2022	Status: NA

Microbial Contaminants

Contaminants	Method	LOD	Quantitation Range	Result	Notes
STEC	TM25: PCR	10 ⁰ CFU/g	NA	Absent	Free from visual mold, mildew, and foreign matter
<i>Salmonella</i>	TM25: PCR	10 ⁰ CFU/g	NA	Absent	
Total Yeast and Mold*	TM24: Culture Plating	10 ¹ CFU/g	1.0x10 ² - 1.5x10 ⁴	None Detected	
Total Aerobic Count*	TM26: Culture Plating	10 ² CFU/g	1.0x10 ³ - 1.5x10 ⁵	<LLOQ	
Total Coliforms*	TM27: Culture Plating	10 ¹ CFU/g	1.0x10 ² - 1.5x10 ⁴	None Detected	

Final Approval


 Brett Hudson
 06Jun2022
 10:34:00 AM MDT



 Brianne Maillot
 06Jun2022
 04:58:00 PM MDT


PREPARED BY / DATE

APPROVED BY / DATE

<https://results.botanacor.com/api/v1/coas/uuid/6f6d239c-d1c0-49b0-be38-1f5210faf47f>
Definitions

* Values recorded in scientific notation, a common microbial practice of expressing numbers that are too large to be conveniently written in decimal form. Examples: 10² = 100 CFU, 10³ = 1,000 CFU, 10⁴ = 10,000 CFU, 10⁵ = 100,000 CFU
 CFU/g = Colony Forming Units per Gram, LOD = Limit of Detection
 ULOQ = Upper Limit of Quantitation, LLOQ = Lower Limit of Quantitation
 STEC = Shiga Toxin-Producing E. coli

Testing results are based solely upon the sample submitted to Botanacor Laboratories, LLC, in the condition it was received. Botanacor Laboratories, LLC warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of Botanacor Laboratories, LLC. ISO/IEC 17025:2017 Accredited by A2LA.


 Cert #4329.02
 6f6d239cd1c049b0be381f5210faf47f.1