

Rebel Rabbit

110 Kingsley Dr
Mauldin, SC 29662
williamgoldsmith4@gmail.com
(864) 434-9011
Lic. #

Sample: 2303CWB0086.0152

Strain: Δ8 Seltzer Lemon Lime
Batch#: ; Batch Size: g
Sample Received: 03/09/2023; Report Created: 03/15/2023


Sampling: ; Environment:

Δ8 Seltzer Lemon Lime

Ingestible, Beverage, Other
Harvest Process Lot: ; METRC Batch: ; METRC Sample:

Notes:



	ND	ND	NR
	Δ9 THC	Total CBD	
	ND	0.0058%	
	Total THC	Total Cannabinoids	Moisture

Cannabinoids

Analyte	LOQ	Mass	Mass
	%	%	mg/mL
THCa	0.0010	ND	ND
Δ9-THC	0.0010	ND	ND
Δ8-THC	0.0010	0.0058	0.058
THCV	0.0010	ND	ND
CBDa	0.0010	ND	ND
CBD	0.0010	ND	ND
CBDVa	0.0010	ND	ND
CBDV	0.0010	ND	ND
CBN	0.0010	ND	ND
CBGa	0.0010	ND	ND
CBG	0.0010	ND	ND
CBC	0.0010	ND	ND
Total		0.0058	0.058

1 mL = 1.0031g.

Total THC = THCa * 0.877 + Δ9-THC; Total CBD = CBDa * 0.877 + CBD; Total Cannabinoids = Sum of quanti able cannabinoids
LOQ = Limit of Quantitation; ND = Not Detected; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within speci cations established by the Laboratory.The estimated level of uncertainty for these results is 0.05%.

1327 Miller Rd Suite G
Greenville, SC
(864) 568-8940
http://www.clearwaterbiotech.com
Lic# 42D23432342



Hunter Flanagan
Hunter Flanagan
Certifying Scientist

Con dent Cannabis
All Rights Reserved
support@con dentcannabis.com
(866) 506-5866
www.con dentcannabis.com



This product has been tested by Clearwater Biotech using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Clearwater Biotech Labs makes no claims as to the ef cacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certi cate shall not be reproduced except in full, without the written approval of Clearwater Biotech.



Certificate of Analysis

Powered by Con dent Cannabis
2 of 3

Rebel Rabbit

110 Kingsley Dr
Mauldin, SC 29662
williamgoldsmith4@gmail.com
(864) 434-9011
Lic. #

Sample: 2303CWB0086.0152

Strain: Δ8 Seltzer Lemon Lime
Batch#: ; Batch Size: g
Sample Received: 03/09/2023; Report Created: 03/15/2023


Sampling: ; Environment:

Δ8 Seltzer Lemon Lime

Ingestible, Beverage, Other
Harvest Process Lot: ; METRC Batch: ; METRC Sample:

Notes:





10427 Cogdill Road, Suite 500
Knoxville, TN, 37932, US
DEA Number: RC0639128



2303CWB0086.0152
N/A
Matrix: Infused Product

Certificate of Analysis

Mar 14, 2023 | Clearwater Biotech, LLC
1327 Miller Road
Greenville, SC, 29607, US

Sample:KN30310006-001
Harvest/Lot ID: -
Batch#: -
Seed to Sale# N/A
Batch Date: N/A
Sample Size Received: 7 gram
Total Batch Size: N/A
Retail Product Size: 1 gram
Ordered : 03/09/23
Sampled : 03/09/23
Completed: 03/14/23
Sampling Method: N/A

PASSED

Page 1 of 2

PRODUCT IMAGE



SAFETY RESULTS

Pesticides
PASSED

Heavy Metals
PASSED

Microbiols
PASSED

Mycotoxins
PASSED

Residuals Solvents
NOT TESTED

Fib
NOT TESTED

Water Activity
NOT TESTED

Moisture
NOT TESTED

Terpenes
NOT TESTED

MISC.

PASSED

Pesticides					Pesticides				
Pesticide	LOD Units	Action Level	Pass/Fail	Result	Pesticide	LOD Units	Action Level	Pass/Fail	Result
ABAMECTIN B1A	0.012 ppm	0.1	PASS	NO	PRALLETHIN	0.008 ppm	0.4	PASS	NO
ACEPHATE	0.008 ppm	3	PASS	NO	PROPICONAZOLE	0.007 ppm	1	PASS	NO
ACQUONICHL	0.038 ppm	2	PASS	NO	PROPURIFUR	0.008 ppm	0.3	PASS	NO
ACEFENPROB	0.009 ppm	3	PASS	NO	PYRIFENBEN	0.002 ppm	1	PASS	NO
ALDEKAB	0.009 ppm	0.3	PASS	NO	PYRIFENBEN	0.007 ppm	3	PASS	NO
AZDXYSTROBIN	0.013 ppm	3	PASS	NO	SPINETORAM	0.006 ppm	3	PASS	NO
BIFENACATE	0.028 ppm	3	PASS	NO	SPINOSAD	0.006 ppm	3	PASS	NO
BIFENTHRIN	0.047 ppm	0.5	PASS	NO	SPINOSUFENPHOS	0.009 ppm	3	PASS	NO
BOSCALD	0.007 ppm	3	PASS	NO	SPRINOMETANAT	0.008 ppm	3	PASS	NO
CARBAFEN	0.015 ppm	0.1	PASS	NO	SPRINOMANNE	0.006 ppm	0.1	PASS	NO
CARBOFEN	0.008 ppm	0.1	PASS	NO	TERBUKONAZOLE	0.009 ppm	1	PASS	NO
CHLORANTHRAFLUPROLE	0.012 ppm	1	PASS	NO	TRICLOLOPRID	0.008 ppm	0.1	PASS	NO
CHLORANTRACILIPROLE	0.008 ppm	3	PASS	NO	TRIFLUTHIOLIN	0.009 ppm	1	PASS	NO
CHLOROPYRIFOS	0.014 ppm	0.1	PASS	NO	TOTAL SPINOSAD	0.008 ppm	3	PASS	NO
CLOFENTEZINE	0.006 ppm	0.5	PASS	NO	TRIFLUVETHYDROLIN	0.009 ppm	3	PASS	NO
COUNAPHOS	0.009 ppm	0.1	PASS	NO					
DAMINOZIDE	0.006 ppm	0.1	PASS	NO					
DIAXANON	0.006 ppm	0.2	PASS	NO					
DICHLOROPOS	0.009 ppm	0.1	PASS	NO					
DIMETHOATE	0.009 ppm	0.1	PASS	NO					
DIMETHOCHLORIN	0.009 ppm	3	PASS	NO					
ETHIOFENPHOS	0.007 ppm	0.1	PASS	NO					
ETOFENPROX	0.009 ppm	0.1	PASS	NO					
ETIOXAZOLE	0.007 ppm	1.5	PASS	NO					
FENHEXAMID	0.005 ppm	3	PASS	NO					
FENPROPHATE	0.007 ppm	0.3	PASS	NO					
FENPROXIMATE	0.006 ppm	2	PASS	NO					
FIPRONIL	0.008 ppm	0.1	PASS	NO					
FLURICANID	0.014 ppm	2	PASS	NO					
FLURIDOLIN	0.011 ppm	3	PASS	NO					
HEXATHIOLAZOLE	0.009 ppm	2	PASS	NO					
IMAZALIL	0.01 ppm	0.1	PASS	NO					
IMISALCLIPROD	0.005 ppm	3	PASS	NO					
KRESOXIM-NETHYL	0.01 ppm	1	PASS	NO					
MALATHION	0.006 ppm	2	PASS	NO					
METALATHYL	0.008 ppm	3	PASS	NO					
METHIOCARB	0.008 ppm	0.1	PASS	NO					
METHIDATHYL	0.009 ppm	0.1	PASS	NO					
MEVUPROPHOS	0.001 ppm	0.1	PASS	NO					
MYCLOSTANIL	0.006 ppm	3	PASS	NO					
NALED	0.023 ppm	0.5	PASS	NO					
OXAPTE	0.009 ppm	0.5	PASS	NO					
PACLOBUTAZOL	0.007 ppm	0.1	PASS	NO					
PERMETHRIN	0.008 ppm	1	PASS	NO					
PHOSMET	0.009 ppm	0.2	PASS	NO					
PIPERIDYL BUTOXIDE	0.006 ppm	3	PASS	NO					

This report shall not be reproduced, unless in its entirety, without written approval from Labstat. This report is an Labstat certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Valid after 1 year from test and date. Generalized content of batch material may vary depending on sampling error. K=critical QC parameter, NC=non-qualified QC parameter, ND=Not Detected, N/A=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. SPD=Reproducibility of two measurements. Action Levels are State determined thresholds for human safety for consumption and/or inhalation. The result 99% are accurate based on uncertainty of measurement (UM) for the analyte. The UM error is available from the lab upon request. The "Decision Rule" for the pass/fail does not include the UM. The limits are based on F.S. Rule 64-130.

Sue Ferguson
Lab Director
State License # 019
ISO Accreditation # 17025:2017

03/14/23
Signature
Signed On

1327 Miller Rd Suite G
Greenville, SC
(864) 568-8940
http://www.clearwaterbiotech.com
Lic# 42D23432342



Con dent Cannabis
All Rights Reserved
support@con dentcannabis.com
(866) 506-5866
www.con dentcannabis.com



This product has been tested by Clearwater Biotech using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Clearwater Biotech Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Clearwater Biotech.



Certificate of Analysis

Powered by Con dent Cannabis
3 of 3

Rebel Rabbit

110 Kingsley Dr
Mauldin, SC 29662
williamgoldsmith4@gmail.com
(864) 434-9011
Lic. #

Sample: 2303CWB0086.0152

Strain: Δ8 Seltzer Lemon Lime
Batch#: ; Batch Size: g
Sample Received: 03/09/2023; Report Created: 03/15/2023

Sampling: ; Environment:

Δ8 Seltzer Lemon Lime

Ingestible, Beverage, Other
Harvest Process Lot: ; METRC Batch: ; METRC Sample:

Notes:



10427 Cogdill Road, Suite 500
Knoxville, TN, 37932, US
DEA Number: RC0639128

Labstat

2303CWB0086.0152
N/A
Matrix : Infused Product



Certificate of Analysis

PASSED

Clearwater Biotech, LLC

1327 Miller Road
Greenville, SC, 29607, US
Telephone: (864) 755-1514
Email: info@clearwaterbiotech.com

Sample: KN30310006-001

Harvest Lot ID: -

Batch #:

Sampled: 03/09/23

Ordered: 03/09/23

Sample Size Received: 7 gram

Total Batch Size: N/A

Completed: 03/14/23 Expires: 03/14/24

Sample Method: SOP Client Method

Page 2 of 2

Microbial				Mycotoxins					
Analyte	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ESCHERICHIA COLI SHIGELLA SPP	Not Present	PASS		AFLATOXIN G2	0.0016	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE	Not Present	PASS		AFLATOXIN G1	0.0012	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS	Not Present	PASS		AFLATOXIN B2	0.0012	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS	Not Present	PASS		AFLATOXIN B1	0.0012	ppm	ND	PASS	0.02
ASPERGILLUS NIGER	Not Present	PASS		OCHRATOXIN A+	0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS	Not Present	PASS		TOTAL MYCOTOXINS	0.002	ppm	ND	PASS	0.02

Heavy Metals					
Metal	LOD	Units	Result	Pass / Fail	Action Level
ARSENIC-AS	0.02	ppm	ND	PASS	1.5
CADMIUM-CD	0.02	ppm	ND	PASS	0.5
MERCURY-HG	0.02	ppm	ND	PASS	3
LEAD-PB	0.02	ppm	ND	PASS	0.5

This report shall not be reproduced, unless in its entirety, without written approval from Labstat. This report is an Labstat certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Valid after 1 year from test and date. Generalized content of batch material may vary depending on sampling error. IC=not certified GC parameter, NC=not quantified GC parameter, ND=Not Detected, N/A=Not Analyzed, con=Parts Per Million, ppm=Parts Per Billion. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentrations that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action levels are State determined thresholds for human safety for consumption and/or inhalation. The result %RSD are variable based on uncertainty of measurement (UM) for the analyte. The UM error is available from the lab upon request. The "Decision Rule" for the pass/fail does not include the UM. The limits are based on I.S. Rule 64-4-110.

Sue Ferguson
Lab Director
State License # 015
ISO Accreditation # 17025:2017
03/14/23
Signed On

1327 Miller Rd Suite G
Greenville, SC
(864) 568-8940
http://www.clearwaterbiotech.com
Lic# 42D23432342



Con dent Cannabis
All Rights Reserved
support@con dentcannabis.com
(866) 506-5866
www.con dentcannabis.com



This product has been tested by Clearwater Biotech using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Clearwater Biotech Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Clearwater Biotech.