

**Brain**

METRC Batch:  
METRC Sample:  
Sample ID: 2210ENC8989\_8631  
Strain: Softgels  
Matrix: Ingestible  
Type: Capsule  
Batch#: Lot# 187VSB

Collected: 10/18/2022  
Received: 10/18/2022  
Completed: 10/20/2022  
Sample Size: 1 units;

Distributor  
BB Wellness



**Summary**

Test	Date Tested	Instr. Method	Result
Batch			Pass
Pesticides	10/18/2022	LC- MS	Pass
Microbial Impurities	10/19/2022	qPCR	Pass
Heavy Metals	10/19/2022	ICP-MS	Pass



*Kevin Nolan*  
Kevin Nolan  
Laboratory Director | 10/20/2022



## Brain

METRC Batch:  
METRC Sample:  
Sample ID: 2210ENC8989\_8631  
Strain: Softgels  
Matrix: Ingestible  
Type: Capsule  
Batch#: Lot# 187VSB

Collected: 10/18/2022  
Received: 10/18/2022  
Completed: 10/20/2022  
Sample Size: 1 units;

Distributor  
BB Wellness

## Pesticides

Method: EL-PESTMYCOLCMS

An alyt es	LOD	LOQ	L im it	R esu lt	Status	Analytes	LOD	LOQ	L im it	R esu lt	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamec tin	0.005	0.02	0.30	ND	Pass	Fludioxonil	0.01	0.05	30.00	ND	Pass
Acephate	0.002	0.01	5.00	ND	Pass	Hexythiazox	0.005	0.02	2.00	ND	Pass
Ac equino c y l	0.01	0.02	4.00	ND	Pass	Imazalil	0.05	0.1	0.05	ND	Pass
Ac etamip r id	0.005	0.02	5.00	ND	Pass	Imidacloprid	0.005	0.02	3.00	ND	Pass
Aldic ar b	0.05	0.1	0.05	ND	Pass	Kresoxim Methyl	0.005	0.02	1.00	ND	Pass
Az ox y s tr obin	0.005	0.02	40.00	ND	Pass	Malathion	0.02	0.05	5.00	ND	Pass
Bifenaz ate	0.005	0.01	5.00	ND	Pass	Metalaxyl	0.002	0.005	15.00	ND	Pass
Bifenthrin	0.02	0.05	0.50	ND	Pass	Methiocarb	0.05	0.1	0.05	ND	Pass
Bos c alid	0.02	0.05	10.00	ND	Pass	Methomyl	0.01	0.02	0.10	ND	Pass
Captan	0.2	0.3	5.00	ND	Pass	Parathion Methyl	0.02	0.05	0.05	ND	Pass
Car bar y l	0.02	0.05	0.50	ND	Pass	Mevinphos	0.02	0.05	0.05	ND	Pass
Car bofur an	0.05	0.1	0.05	ND	Pass	Myclobutanil	0.005	0.01	9.00	ND	Pass
C hlor antr anilip r	0.002	0.01	40.00	ND	Pass	Naled	0.01	0.02	0.50	ND	Pass
ole Chlordane	0.05	0.1	0.05	ND	Pass	Oxamyl	0.005	0.01	0.20	ND	Pass
Chlor fenapy r	0.05	0.1	0.05	ND	Pass	Paclobutrazol	0.05	0.1	0.05	ND	Pass
Chlor py r ifos	0.05	0.1	0.05	ND	Pass	PCNB	0.02	0.05	0.20	ND	Pass
Clofentezine	0.01	0.02	0.50	ND	Pass	Permethrin	0.02	0.05	20.00	ND	Pass
Coumaphos	0.02	0.05	0.05	ND	Pass	Phosmet	0.01	0.02	0.20	ND	Pass
Cy fluthr in	0.05	0.1	1.00	ND	Pass	Piperonyl Butoxide	0.02	0.05	8.00	ND	Pass
Cy per methr in	0.1	0.2	1.00	ND	Pass	Prallethrin	0.005	0.02	0.40	ND	Pass
Daminoz ide	0.02	0.05	0.05	ND	Pass	Propiconazole	0.005	0.01	0.10	ND	Pass
Diazinon	0.002	0.01	0.20	ND	Pass	Propoxure	0.05	0.1	0.05	ND	Pass
D ic hlor v os	0.02	0.05	0.05	ND	Pass	Pyrethrins	0.02	0.05	1.00	ND	Pass
Dimethoate	0.02	0.05	0.05	ND	Pass	Pyridaben	0.005	0.01	3.00	ND	Pass
Dimethomorph	0.005	0.02	20.00	ND	Pass	Spinetoram	0.005	0.01	3.00	ND	Pass
Ethop r ophos	0.05	0.1	0.05	ND	Pass	Spinosad	0.005	0.01	3.00	ND	Pass
Etofenprox	0.05	0.1	0.05	ND	Pass	Spiromesifen	0.01	0.02	12.00	ND	Pass
Etoz ole	0.005	0.02	1.50	ND	Pass	Spirotetramat	0.005	0.01	13.00	ND	Pass
F enhex amid	0.005	0.02	10.00	ND	Pass	Spiroxamine	0.05	0.1	0.05	ND	Pass
Fenoxycarb	0.05	0.1	0.05	ND	Pass	Tebuconazole	0.005	0.01	2.00	ND	Pass
F enpy r ox imate	0.005	0.02	2.00	ND	Pass	Thiacloprid	0.02	0.05	0.05	ND	Pass
F ip r onil	0.05	0.1	0.05	ND	Pass	Thiamethoxam	0.005	0.01	4.50	ND	Pass
F lonic amid	0.01	0.02	2.00	ND	Pass	Trifloxystrobin	0.005	0.01	30.00	ND	Pass

Date Tested: 10/18/2022

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.

## Microbial Impurities

Method: SOP EL-MICROBIALS

An alyt es	R esu lt	Status
Shiga toxin-producing Escherichia coli	Not Detected in 1g	Pass
Salmonella spp	Not Detected in 1g	Pass

Date Tested: 10/19/2022



*Kevin Nolan*  
Kevin Nolan  
Laboratory Director | 10/20/2022



**Brain**

METRC Batch:  
METRC Sample:  
Sample ID: 2210ENC8989\_8631  
Strain: Softgels  
Matrix: Ingestible  
Type: Capsule  
Batch#: Lot# 187VSB

Collected: 10/18/2022  
Received: 10/18/2022  
Completed: 10/20/2022  
Sample Size: 1 units;

Distributor  
BB Wellness


**Heavy Metals**

Method: SOP EL-HEAVYMETALS

An alyt es	LOD	LOQ	L im it	R esu lt	Status
	µg/g	µg/g	µg/g	µg/g	
Ar s enic	0.012	0.036	1.500	<LOQ	Pass
Cadmium	0.015	0.044	0.500	<LOQ	Pass
Lead	0.055	0.167	0.500	ND	Pass
Mer c ur y	0.005	0.015	3.000	ND	Pass

Date Tested: 10/19/2022

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.



*Kevin Nolan*

Kevin Nolan  
Laboratory Director | 10/20/2022

